

EAST - [4659.wsp:1]

FileViewEditToolsWindowHelp

Active

L2: (1) 10/604650

L3: (0) ((solder near4 mask\$3) (mask\$3 with (epoxy near3 resin 'bt' bismale\$10))) with dielctric

L4: (0) (solder near4 mask\$3) with dielctric

L5: (659) (solder near4 mask\$3) with packag\$3

L6: (0) 5 and ((solder near4 mask\$3) with dielctric)

L7: (150) 5 and ((solder near4 mask\$3) with (epoxy resin 'bt' bismaleimide adj triazine))

L9: (19) 7 and ((dielectric) with (epoxy resin 'bt' bismaleimide adj triazine))

L10: (5) 9 and ((dielectric mask\$) with (thermal\$5 coefficient\$3 expans\$4))

L11: (11) 9 and (temperature degree)

L12: (166) (solder near4 mask\$3) with (epoxy near3 resin 'bt' bismale\$10)

L13: (3421) (dielectric) with (epoxy near3 resin 'bt' bismale\$10)

L14: (15927) (dielectric insulat\$3) with (epoxy near3 resin 'bt' bismale\$10)

L15: (662) (solder near4 mask\$3) with dielectric

L16: (13) ((solder near4 mask\$3) with dielectric) with (epoxy near3 resin 'bt' bismale\$10)

L17: (3421) 13 and 13

L18: (240) 17 and (solder with (expans\$4 coefficient thermal\$3))

L19: (19) 12 and 13

L20: (119) 18 and (dielectric with (expans\$4 coefficient thermal\$3))

L21: (101) 20 and packag\$3

L22: (618) (solder adj mask\$3) with dielectric

L23: (25) 22 and (solder) with (epoxy near3 resin 'bt' bismale\$10)

L26: (18) 23 and (dielectric) with (epoxy near3 resin 'bt' bismale\$10)

L27: (701) (solder adj mask\$3 soldermask\$3) with dielectric

L28: (158) 27 and (solder adj mask\$3 soldermask\$3) with (epoxy resin 'bt' bismaleimide adj triazine)

L29: (131) 28 and (epoxy resin 'bt' bismaleimide adj triazine) with dielectric

L30: (131) 29 and (epoxy resin 'bt' bismaleimide adj triazine dielectric solder adj mask\$3 solder...

L31: 30 and (expans\$4 coefficient thermal\$3) with (solder adj mask\$3 soldermask\$3 dielectric)

30 and (expans\$4 coefficient thermal\$3) with (solder adj mask\$3 soldermask\$3 dielectric)

30 and (expans\$4 coefficient thermal\$3) with (solder adj mask\$3 soldermask\$3 dielectric)

	U	I	Document ID	Issue Date	Pages	Title	Current OR	Current XR	Retrieval C	Inventor	S	C	P	3	
1			US 20040230439	20041202	18	Compact electromagnetic coupler for use with digital tem	333/24R	333/109		Benham, John R. et al.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2			US 20041007	20041007	26	Methods for assembly and	438/108	438/126		Lee, Teck Kheng	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

File

Device

HTML

Ready

10/10/2004

